

FIG. 1

10




Fig. 2a




Fig. 2b




FIG. 3a




FIG. 3b




FIG. 3c




Fig. 3d





Fig. 3e




[illegible]

Fig. 3g





Fig. 3h



Command Prompt (2) - enetc5

```
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5>
Enetc5> help
Commands are:
bye
close
execute
help
load
manage
open
quit
showCurrent
showTemplate
set
status
writeCurrent
writeTemplate
Enetc5>
Enetc5>
Enetc5> showCurrent SPATH
ATMIfName=ATM11/1/1
Concatenated=false
Name=Path11/1/1
Operant=SPATH
Operator=Create
PortID=1
Position=1
Service=ATM
ShelfID=11
SlotID=1
Type=Terminated
Version=U1_1_0_0
Width=STS3
Enetc5>
Enetc5>
Enetc5>
Enetc5> showTemplate SPATH
ATMIfName=<String>[TerminatedOnly]
Concatenated=<true|false>
Name=<String>
Operant=SPATH
Operator=<Create|Replace|Update|Delete>
PortID=<Integer><1-16>
Position=<Integer>
Service=<None|ATM>
ShelfID=<11[top]|13[bottom]>
SlotID=<Integer><1-8>
Type=<Switched|Terminated>
Version=U1_1_0_0
Width=<STS1|STS3|STS12|STS48>
Enetc5>
Enetc5>
Enetc5> status
Not currently connected to server
Supporting templates: CONTROL, PUC, SPATH, SPUC, ID, and UAIF
Enetc5>
```

912

913

914

915

916

917

918

919

920

Fig.3i

Fig. 3j




Fig. 3K

```

C:\Program Files\Netcat> Command Prompt (2) - enetcli
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
Enetcli>
922- Enetcli> showCurrent CONTROL
Input=Q:\nms\com\equipecon\nms\utils\enetcli
Interactive=false
Operant=CONTROL
923d- Operator=Manage
923f- Output=Q:\nms\com\equipecon\nms\utils\enetcli
923c- Password=None
923e- System=192.168.9.202
923b- User=None
923g- Version=01_1_0_0
923a- Server=localhost
Enetcli>

```

[illegible]

Fig. 3L

← 924 BATCH

Operant=BATCH

Operator=Execute

Version=V1_1_0_0

924a — Task1=execute-SPATH

924b — Task2=execute-PVC

924c — Task3=execute-SPVC

924d — Task4=load-SPVC-spvc1

924e — Task5=execute-SPVC

924f — Task6=load-SPVC-spvc2

924g — Task7=execute-SPVC

924h — Task50=set-SPATH-PortID-3

924i — Task51=execute-SPATH

924j — Task52=set-SPATH-SlotID-2

924k — Task53=execute-SPATH

Fig. 3M

← 925

Operant=BATCH

Operator=Execute

- Version=V1_1_0_0

925a - Task1=execute-CONTROL

925b - Task2=execute-SPATH

925c - Task3=set-SPATH-PortID-3

925d - Task4=execute-SPATH

925e - Task61=set-CONTROL-System-192.168.9.201

925f - Task62=execute-CONTROL

925g - Task63=execute-SPATH

925h - Task108=close

925i - Task109=set-CONTROL-Server-Server1

925j - Task110=set-CONTROL-System-192.168.8.200

925k - Task111=execute-CONTROL

925l - Task112=execute-SPATH

895




Fig.4a




Fig. 4b

Fig. 4c

Fig. 4c shows a dialog box titled "AddDeleteDeviceDlg". It contains a text input field with the value "192.168.9.203". Below this field is a checked checkbox labeled "Managed device (in on-line mode)". To the right of this checkbox is a button labeled "OK". Below the checkbox is a section titled "Device list" which contains a list box labeled "On-Line Device". The list box is currently empty. At the bottom of the dialog are three buttons: "OK", "Cancel", and "Delete".

898d

Fig. 4d

Fig. 4d shows the same dialog box "AddDeleteDeviceDlg". The text input field is now empty. The checkbox "Managed device (in on-line mode)" remains checked. The "On-Line Device" list box now contains one entry: "192.168.9.203", which is also checked. The buttons "OK", "Cancel", and "Delete" remain at the bottom.

898d

898g

898j

898i

898h

895




Fig. 4e




Fig. 4f




Fig. 4g




Fig. 4h





Fig. 4i






Fig. 4K




Fig. 4L





Fig. 4m

955



955a

955b

Fig. 4n




Fig.40




Fig. 4p




Fig. 4g

897




Fig. 4r






Fig. 4s









Fig. 4w

[illegible]







Fig. 4y



961b

Fig. 42

EvailNet Manager: SONET Path Configuration - 11 / 5 / 1





Fig. 5a

Fig. 5b


944

944b
944c
944d

944a



944b
944c
944d
944e
944f
944g
944h
944i
944j
944k
944l
944m
944n
944o
944p
944q
944r
944s
944t
944u
944v
944w
944x
944y
944z



944

944e

944f

Fig. 5c

Fig. 5d

944

944a

944c

944g

EvailNet Manager: SONEt Path Configuration - 11 / 4 / 1

SONET Path Configuration

Configure single terminated path (STS-3c)

Configure

Path 1

SONET Line	Path Name	Path Position	Path Type	Path Status	Path Type	Path Type
11 / 4 / 1	Path1_11 /	1	STS-3c	Terminated	ATM	
11 / 4 / 1	Path2_11 /	4	STS-3c	Terminated	ATM	
11 / 4 / 1	Path3_11 /	7	STS-3c	Terminated	ATM	
11 / 4 / 1	Path4_11 /	10	STS-3c	Terminated	ATM	

944f

944e

944a

944c

944g

EvailNet Manager: SONEt Path Configuration - 11 / 4 / 1

SONET Path Configuration

Configure single terminated path (STS-12c)

Configure

Path 1

SONET Line	Path Name	Path Position	Path Type	Path Status	Path Type	Path Type
11 / 4 / 1	Path1_11 /	1	STS-12c	Terminated	ATM	

944

944e

944f

Fig. 5e

Fig 5f

944





Fig. 5g

← 895




Fig. 5h




Fig. 5i

Fig. 5j




Fig. 5K




Fig. 5L

944

944a

944b

944c

944d

944g

EvailNet Manager: SONET Path Configuration - 11 / 5 / 2

SONET Path 1

Configure a single terminated path (STS-48c)

1 STS-12c

SONET Line	Path Name	Path ID	Path Type	Path Status	Service	Termination	Forward Color
11 / 5 / 2	Path1_11 / 5 / 2	1	STS-48c	Termin	ATM		

944f

944e

944a

944b

944c

944d

944g

EvailNet Manager: SONET Path Configuration - 11 / 5 / 2

SONET Path 1

Configure a single terminated path (STS-48c)

1 STS-12c

SONET Line	Path Name	Path ID	Path Type	Path Status	Service	Termination	Forward Color
11 / 5 / 2	Path1_11 /	1	STS-12c	Terminated	ATM		
11 / 5 / 2	Path2_11 / ...	13	STS-12c	Terminated	ATM		
11 / 5 / 2	Path3_11 / ...	25	STS-12c	Terminated	ATM		
11 / 5 / 2	Path4_11 / ...	37	STS-12c	Terminated	ATM		

944f

944e

Fig. 5m

944

Fig. 5n

944

944a

944b

944c

944d

944g

EvailNet Manager: SNET Path Configuration - 11 / 5 / 2

SONET Path Name: Path1 11/5/2

Path ID: 1

Path Type: STS-48c

Path Length: 16

Path Status: 9445

Path Details:

SONET Line	Path Name	Path ID	Path Type	Path Length	Path Status	Path Details
11 / 5 / 2	Path1 11/5/2	1	STS-48c	Terminated	ATM	

944f

944e

944a

944b

944c

944d

944g

EvailNet Manager: SNET Path Configuration - 11 / 5 / 2

SONET Path Name: Path1 11/5/2

Path ID: 16

Path Type: STS-3c

Path Length: 16

Path Status: 9445

Path Details:

SONET Line	Path Name	Path ID	Path Type	Path Length	Path Status	Path Details
11 / 5 / 2	Path1 11/5/2	1	STS-3c	Termin	ATM	
11 / 5 / 2	Path2 11/5/2	4	STS-3c	Termin	ATM	
11 / 5 / 2	Path3 11/5/2	7	STS-3c	Termin	ATM	
11 / 5 / 2	Path4 11/5/2	10	STS-3c	Termin	ATM	
11 / 5 / 2	Path5 11/5/2	13	STS-3c	Termin	ATM	
11 / 5 / 2	Path6 11/5/2	16	STS-3c	Termin	ATM	
11 / 5 / 2	Path7 11/5/2	19	STS-3c	Termin	ATM	

944f

944e

944

Fig. 5o




Fig. 5p




Fig. 5g





Fig. 5r

895



896a

947a


947b

959

Fig. 5s

556d 941a

← 895



947b

947d

947c

Fig. 5v

952




Fig. 5w

953a

953

953c

953d

953b

953e

953f

953s

953g

953l

953p

953r

953t

953u

953w

953v

ÉvailNet Manager: 192.168.9.202 - Virtual Connection Wizard

Source: 192.168.9.202 Destination: 192.168.9.202

End Point 1

- Slot 4
 - Port 1
 - ATM-Path1_11/4/1
 - ATM-Path2_11/4/1
 - test1
 - test2
 - Port 2
 - Port 3
 - Port 4

End Point 2

- Slot 3
- Slot 4
- Slot 5
 - Port 1
 - Port 2
 - ATM-Path1_11/5/2
 - test3
 - ATM-Path2_11/5/2
 - ATM-Path5_11/5/2

Connection Parameters

Connection Name: test

Admin Status: Up

Customer Name: Walmart

End Point 1 Parameters

VPI: 953i

VCI: 953m

Transmit Traffic Description: VBR-high

Receive Traffic Description: VBR-high

Use the same Traffic Description for both Transmit and Receive

End Point 2 Parameters

VPI: 953j

VCI: 953n

Transmit Traffic Description: VBR-high

Receive Traffic Description: VBR-high

Use the same Traffic Description for both Transmit and Receive

Fig. 5x

956

New Traffic Descriptor

Name:

QoS Class:

▼

Type:


▼

OK

Cancel

Fig. 5Y

895



948a

948b

Fig. 57

895




Fig. 6a

Fig. 6b

The screenshot shows a dialog box titled "AddDeleteDeviceDlg". It contains a text field labeled "Enter device IP address:" with the value "192.168.9.201". Below this is a checkbox labeled "Manage device in on-line mode:". To the right of the checkbox is a button labeled "Add:". Below the checkbox and button is a list box labeled "Device List". The list box contains one entry: "On-Line Device: 192.168.9.201". At the bottom of the dialog are three buttons: "OK", "Cancel", and "Delete".

898e

898d

898g

Fig. 6c

The screenshot shows the same dialog box as Fig. 6b, but with the "Add" button disabled. The "Device List" now contains two entries: "On-Line Device: 192.168.9.201" and "On-Line Device: 192.168.9.201". The second entry is highlighted. At the bottom of the dialog are three buttons: "OK", "Cancel", and "Delete".

898d

898g

898m

895




Fig. 6d




Fig. 6e

895




Fig. 6f

895




Fig. 69

895

896f




Fig.6h

895

896f

896g






Fig. 6i

Fig. 6j



896h

896j



896h

896i

Fig. 6K

895

556i

556h




Fig. 6L

895




Fig.6m

895
↙




Fig. 6n

895




Fig. 60

895




Fig. 6p




Fig. 7a

EvaNet Manager: Fault - Event Summary			
System: 192.168.65.60			
System	Event	Event Number	Description
1.1.55.6	Fan OverTemp	44	"Fan marginally functioning"
1.1.55.7	New Board Ins...	75	"New board inserted"
OK			

Fig. 7b




Fig. 7c

Profiles					
System: 192.168.1.50					
Profile Manager					
Name	Description	Security Level	Timeout	Primary Server	Secondary Server
Joe	Joe Whitehouse	Admin	15	192.168.1.32	192.168.1.37
Wayne	Wayne Arena	Provisioner	15	TeamServer1:192.168.1.32	TeamServer2:192.168.1.32
<div> <input type="button" value="Add"/> <input type="button" value="Delete"/> <input type="button" value="Refresh"/> <input checked="" type="button" value="Load"/> </div>					

Fig. 7d

[illegible]

Fig. 7e

← 907

General

Username: Kevin

Description: Kevin Snow user account

Group Name: Equipe

Group Level Access:

Password: *****

Confirm Password: *****

Policies

☒ User Cannot Change Password

☐ Account Disabled

☒ User Can Add Devices

User Session Timeout: 15 Minutes

Servers

Primary Server: 192.168.1.220

Primary Server Port: 6500

Secondary Server: 192.168.1.221

Secondary Server Port: 6503

Devices

Device	READ	READWRITE	Relay	Timeout	
192.168.9.202	public	equipe	3	5	
192.168.9.205	public	equipe	3	5	
192.168.9.216	public	equipe	3	5	

OK Cancel

908a

908e

908f

908d

908b

908c

908h

908i

908j

908k

908l


908n

908m

908o

908g


Fig. 7f



A screenshot of a software window titled 'General' with tabs for 'General', 'Policies', 'Servers', and 'Devices'. The 'General' tab is active. It contains several input fields for user information: 'Username' (Kevin), 'Description' (Kevin Snow user account), 'Customer Name' (Equipe), 'Group Level Access' (a dropdown menu), 'Password' (masked with asterisks), and 'Confirm Password' (masked with asterisks). At the bottom are 'OK' and 'Cancel' buttons.

Username:	Kevin
Description:	Kevin Snow user account
Customer Name:	Equipe
Group Level Access:	
Password:	*****
Confirm Password:	*****

OK Cancel




A screenshot of a software window titled 'Policies' with tabs for 'General', 'Policies', 'Servers', and 'Devices'. The 'Policies' tab is active. It contains several checkboxes: 'User Cannot Change Password' (checked), 'Account Disabled' (unchecked), and 'User Can Add Devices' (checked). Below these is a 'User Session Timeout' field set to '15' minutes. At the bottom are 'OK' and 'Cancel' buttons.

<input checked="" type="checkbox"/> User Cannot Change Password
<input type="checkbox"/> Account Disabled
<input checked="" type="checkbox"/> User Can Add Devices
User Session Timeout: 15 Minutes

OK Cancel

Fig. 7g

Fig. 7h



General Policies Servers Devices


Primary Server: 192.168.1.220

Primary Server Port: 6500

Secondary Server: 192.168.1.205

Secondary Server Port: 6503

OK Cancel



General Policies Servers Devices

Device	READ	READ/WRITE	Retry	Timeout	Trap Port
192.168.9.202	public	equipe	3	5	162
192.168.9.205	public	equipe	3	5	162
192.168.9.216	public	equipe	3	5	5012

Add Delete

OK Cancel

Fig. 7i

909

910a
910b
910c
910d





Fig. 7j

FIG. 8a



PORT TABLE

PID	PORT TYPE	VERSION NO.	SLOT NO.	...
1500	00620	1	1	
1501	00620	1	1	
1502	00620	1	1	
1503	00620	1	1	
1504	00820			
...
1600	00620	1	8	
...

FIG. 8c

10




FIG. 9b




Fig. 9c




FIG. 10

Service Endpoint Table 76

	Service Endpoint #	Port PID
78	1	1500
80	2	1501
82	3	1501
84	4	1501
86	5	1502
88	6	1502
90	7	1503
92	8	1503
94	9	1503
168	10	1502
	⋮	⋮

FIG. 11a

Logical to Physical Card Table 100

	98 LID	102 Primary PID	104 Back-up PID
106	30	500	513
109	31	501	513
	⋮	⋮	⋮

FIG. 11b

Logical to Physical Port Table 101

	98 LID	102 Primary PID	104 Back-up PID
107	40	1500	1600
	⋮	⋮	⋮

FIG. 12

ATM Group Table 108

Group #	Card LID	...
1	30	
2	30	
3	30	
4	30	

FIG. 13

ATM Interface Table 114

ATM IF	ATM Group	SE	...
1	1	1	
2	1	1	
3	1	1	
4	2	2	
5	2	3	
6	2	4	
⋮	⋮	⋮	⋮
12	3	10	
⋮	⋮	⋮	⋮

FIG. 14

Software Load Record 128a

130	Control Shim	LID	132
134	atm-cntrl.exe	30	

FIG. 15




FIG. 16a




FIG. 16b





FIG. 16c





1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2

FIG. 17




FIG. 18





FIG. 19



(The following information was obtained from the records of the Bureau of Census, Department of Commerce, Washington, D.C.)




FIG. 21

FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28

FIG. 28





FIG. 29



Group Table 108'

	Group #	Primary Card LID	Backup Card LID	...
450	1	30	31	
451	2	30	31	
452	3	30	31	
453	4	30	31	
454	5	31	32	
455	6	31	32	
456	7	31	32	
457	8	31	32	
458	9	32	30	
459	10	32	30	
460	11	32	30	
461	12	32	30	
	⋮	⋮	⋮	⋮

Fig. 31a




Fig. 31b




Fig. 31c




Fig. 32a




Fig. 32b




Fig. 32c




FIG. 33a




FIG. 33b




FIG. 33c




FIG. 33d




FIG. 34b is a schematic diagram of a network architecture. The diagram shows four rectangular blocks labeled 16a, 16b, 16c, and 16d. Block 16a contains four circular nodes labeled 464, 465, 466, and 467, each containing the text 'PR' and 'ATM'. Block 16b contains two circular nodes labeled 510 and 512, each containing the text 'BC' and 'ATM'. Block 16c contains six circular nodes: 480, 481, 482, 483, 518, and 520. Nodes 480, 482, and 518 contain 'PR' and 'ATM'; nodes 481 and 483 contain 'PR' and 'ATM'; node 520 contains 'BC' and 'ATM'. Block 16d contains six circular nodes: 526, 527, 493, 498, 506, and 512'. Nodes 526 and 527 contain 'PR' and 'ATM'; node 493 contains 'DD'; node 498 contains 'DOS'; node 506 contains 'CD'; and nodes 512' and 510' contain 'PR' and 'ATM'. A dashed line connects node 510 in block 16b to node 512' in block 16d. Ellipses between blocks 16b and 16d indicate additional components.

FIG. 34b




FIG. 35




FIG. 36




Fig. 57




FIG. 38

Path Table 600

602

Path LID	UP Port LID	Time Slot	# of Time Slots	...
1666	1231	4	3	
...

FIG. 39

Service End Point Table 76'

SE #	Q #	FC LID	FC Slice	FC Time Slot	Path PID	...
878	1				1666	
:	:	:	:	:	:	:
:	:	:	:	:	:	:
:	:	:	:	:	:	:





Fig. 40

Front



Back




FIG. 41c
Side

626



7

FIG. 41c is a side view of the system of FIG. 41b, showing the front panel of the system. The front panel includes a display unit 521, a control unit 522, and a power supply unit 523. The display unit 521 is connected to the control unit 522 via a data bus 524. The control unit 522 is connected to the power supply unit 523 via a power bus 525. The power supply unit 523 is connected to the system via a power line 526. The system is shown in a perspective view, with the front panel and the internal components visible.




27"

FIG. 42



10"

FIG. 43



540





FIG. 44

FIG. 45






FIG. 46




FIG. 47





FIG. 48







FIG. 50



792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000





Fig. 52


ERC_STRAT_SYNC (EX CTS)
STRAT_REF_A or STRAT_REF_B (EX LTS) 832
19.44MHz with encoded 8kHz
(must be pulled low when not present)

804



Extractor

FIG. 53



FPGA





FIG. 55

FIG. 56 is a block diagram of a system architecture for a network switch or router. The system is enclosed in a box labeled 540. It consists of three main components: a Port Card (54a), a Cross-Connect Card (562a), and a Forwarding Card (546a). The Port Card (54a) contains three processing units (571a, 571b, 571c) and three input/output ports (576a, 576b, and an unlabeled one). The Cross-Connect Card (562a) contains a cross-connection matrix (563). The Forwarding Card (546a) contains multiple forwarding units (582a, ..., 582n). The system is connected to a host (840) via a bus (840). The diagram shows the flow of data from the host through the Port Card, the Cross-Connect Card, and the Forwarding Card.

Fig. 56

FIG.57



Test Path Table 841

	Path LID	UP Port LID	Time Slot	# of Time Slots	Monitor	Enable Port Receiver	...
842	1666	1232	4	3	Ingress	No	
843	1666	1233	4	3	Egress	No	
844	1666	1233	4	3	Ingress	Yes	
	•	•	•	•			•
	•	•	•	•			•

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.